


5. (Amended) Blends according to Claim 1 containing phosphonate amines selected from the group consisting of 5,5,5'5'',5''-hexamethyltris(1,3,2-dioxaphosphorinane-2-methanamine)amin-2,2',2''-trioxide of formula (I-1)



1,3,2-dioxaphosphorinane-2-methanamine, N-butyl-N[(5,5-dimethyl-1,3,2-dioxaphosphorinane-2-yl)methyl]-5,5-dimethyl-, P,2-dioxides; 1,3,2-dioxaphosphorinane-2-methanamine, N-[(5,5-dimethyl-1,3,2-dioxaphosphorinane-2-yl)methyl]-5,5-dimethyl-N-phenyl-, P,2-dioxide; 1,3,2-dioxaphosphorinane-2-methanamine, N,N-dibutyl-5,5-dimethyl-, 2-oxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-[(5,5-dimethyl-1,3,2-dioxaphosphorinane-2-yl)methyl]-N-ethyl-5,5-dimethyl-, P,2-dioxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-butyl-N-[(5,5-dichloromethyl-1,3,2-dioxaphosphorinane-2-yl)methyl]-5,5-dichloromethyl-, P,2-dioxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-[(5,5-dichloromethyl-1,3,2-dioxaphosphorinane-2-yl)methyl]-5,5-dichloromethyl-N-phenyl, P,2-dioxide; 1,3,2-dioxaphosphorinane-2-methanamine, N,N-di-(4-chlorobutyl)-5,5-dimethyl-2-oxides; 1,3,2-dioxaphosphorinane-2-methanimine and N-[(5,5-dimethyl-1,3,2-dioxaphosphorinane-2-yl)methane]-N-(2-chloroethyl)-5,5-di(chloromethyl)-, P2-dioxide.

6. (Amended) Blends according to Claim 2 wherein the phosphonate amines of formula (I) are used as mixtures.
7. (Amended) Blends according to Claim 2 wherein graft polymer is based on at least 2 of the following monomers: chloroprene, 1,3-butadiene, isopropene, styrene, substituted styrenes, acrylonitrile, ethylene, propylene, vinyl acetate and (meth)acrylate with 1 to 18 C atoms in the alcohol component.
8. (Amended) Blends according to Claim 2 wherein component B) is a graft polymer of

B.1 5 to 95 parts by weight of a mixture of

B.1.1 50 to 99 parts by weight styrene, α -methylstyrene, styrenes, substituted in the ring with halogen or methyl, methyl methacrylate or mixtures of these compounds and

B.1.2 1 to 50 parts by weight acrylonitrile, methacrylonitrile, methyl methacrylate, maleic anhydride, C₁-C₄ alkyl- or phenyl-N-substituted maleimides or mixtures of these compounds on

B.2 5 to 95 parts by weight polymer with a glass transition temperature of less than -10°C.

9. (Amended) Blends according to Claim 2 containing 10 to 90 parts by weight of component A) and 1 to 40 parts by weight of component B.

10. (Amended) Blends according to Claim 2 containing 20 to 80 parts by weight of component A and 2 to 30 parts by weight of component B.

12. (Amended) Blends according to Claim 1 which contain 0.01 to 35 wt.%, based on the total moulding composition, of at least one additional flame retardant.

13. (Amended) Blends according to Claim 2 containing 1 to 30 parts by weight of component C).

14. (Amended) Blends according to Claim 2 further containing an extremely fine-particle compound of main groups 1 to 5 or of subgroups 1 to 8 of the periodic table with at least one element selected from the group of oxygen, sulfur, boron, carbon, phosphorus, nitrogen, hydrogen and silicon.

15. (Amended) Blends according to Claim 2 which further contain at least one additive from the group of stabilisers, pigments, mould release agents, flow promoters, inorganic reinforcing materials, nanoparticles and/or antistatic agents.

END A₄

Add the following:

- A⁵
- 18. A method of using the composition of Claim 1 comprising producing a molded article.
19. A method of using the blend of Claim 2 comprising producing a molded article.
20. A molded article comprising the composition of Claim 1.
21. A molded article comprising the blend of Claim 2.--

10070017.022702